



THINNER 11/11

Diluent

Description

THINNER 11/11 consists of a solvent blend and it is used for reducing furniture lacquers and industrial paints. It is specially formulated for warm weather conditions.

Technical Specifications

Specific Gravity	:	0.85±0.02
Viscosity	:	10-12" Ford cup No.4
Flash point	:	<23°C
Initial Boiling Point	:	>35°C

PACKING: 1L, 4L, 20L & 185L.

COLOUR: Colourless.

STORAGE: Store in a dry place, away from direct sunlight and/or extreme temperatures. Close the container after application.

Health and Safety Measures

- Keep out of the reach of children.
- Highly flammable liquid and vapour.
- Suspected of damaging the unborn child.
- Harmful if swallowed.
- May be fatal if swallowed and enters airways.
- Causes serious eye damage.
- Causes skin irritation.
- May cause drowsiness or dizziness.
- May cause damage to organs through prolonged or repeated exposure.
- Obtain special instructions before use.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Keep container tightly closed.
- Wash with water and soap thoroughly after handling.
- Wear protective gloves / clothing and eye / face protection.
- **IF SWALLOWED:** Call a **POISON CENTRE / doctor** if you feel unwell and show the container or label.
- **IF INHALED:** Remove person to fresh air and keep comfortable for breathing.
- **IN CASE OF FIRE:** Use Dry Powder or Carbon dioxide extinguisher.
- For more information please refer to Safety Data Sheet.

Contains: TOLUENE, 2-METHYLPROPAN-1-ol, METHANOL.

WASTE MANAGEMENT

Do not empty surplus paint into drains, and do not dispose together with household refuse. Advice regarding disposal and collection should be sought from the local authorities.

Note: *The information supplied in our literature or given by our employees, agents or distributors concerning the use of our products is based upon extensive experience and given in good faith in order to help you. We guarantee the consistent high quality of our products; however, as we have no control over site conditions of the executions of work, we cannot accept any liability for any loss or damage, which may arise as a result thereof.*